

# License No. 7444 to mark a commodity with the Standards Mark

The Standards Institution of Israel (SII), in accordance with the powers vested in it by article 11(b) of the Standards law 1953, hereby grants permission to:

## **Netafim Ltd**

Negev mobile post office, Hatzerim, Israel

to place the Standards Mark on the commodities covered by the standard: **Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods** 

(list of types attached)

These commodities are produced in conformity with the requirements of the Israel Standard No. 1642 Edition May 2005

This license has been granted subject to the terms of the Standards Regulation (standard mark and supervision sign) 1982, and the terms that the License Committee has determined, which constitute an integral part of this license. This license does not detract from any obligation, or other order, imposed by law on the abovementioned commodities

This certificate remains the property of SII. Its continued validity may be verified via scanning the barcode or via the SII website www.sii.org.il.

This license is valid until 31/12/2021









**Factory: Netafim Ltd** 

**Commodities:** Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

#### **Models:**

1. TIRAN. 16 MM FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.8, 0.9, 1.0 MM

2. TIRAN. 16 MM FLOWRATE: 1.05, 1.5,1.6,2.0,2.1,4.0,4.2,8.0,8.4L/H WALL THICKNESS: 1.2 MM

3. TIRAN. 17 MM FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.8, 0.9, 1.0 MM

4. TIRAN. 17 MM FLOWRATE: 1.05, 1.6, 2.0,2.1,4.0,4.2,8.0, 8.4 L/H WALL THICKNESS: 1.2 MM

5. TIRAN LEACH LINE X 20 MM FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 1.0 MM

6. TIRAN LEACH LINE X 20 MM FLOWRATE: 1.05, 1.6, 2.0, 2.1,4.0,4.2,8.0,8.4 L/H WALL THICKNESS: 1.2 MM

## This license is valid until 31/12/2021







**Factory: Netafim Ltd** 

**Commodities:** Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

- 7. UNIRAM, UNIBIOLINE, UNITECHLINE LEACH LINE U 20 MM FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 1.0, 1.2 MM
- 8. UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 20 MM FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 1.0, 1.2 MM
- 9. UNIRAM, UNIBIOLINE, UNITECHLINE 17 MM FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 1.0, 1.2 MM
- 10. UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 17 MM FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 1.0, 1.2 MM
- 11. UNIRAM, UNIBIOLINE, UNITECHLINE LEACH LINE U 16 MM FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 1.0, 1.2 MM
- 12. UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 16 MM FLOWRATES:0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 1.0, 1.2 MM

This license is valid until 31/12/2021

The standards Institution of Israel
42 Chaim Levanon St,







**Factory: Netafim Ltd** 

**Commodities:** Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

- 13. DRIPNET PC. 12 MM FLOWRAATE: 1.0 L/H
- 14. DRIPNET PC LEACH LINE D 16 MM FLOWRAATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.31, 0.38, 0.63, 0.90, 1.0 MM
- 15. DRIPNET PC 17 MM
  FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
  WALL THICKNESS: 0.90, 1.0 MM
- 16. DRIPNET PC LEACH LINE D 20 MM FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.90, 1.0 MM
- 17. DRIPNET PC 22 MM
  FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
  WALL THICKNESS: 0.31, 0.38, 0.63 MM
- 18. DRIPNET PC 2.3 MM FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.90 MM

## This license is valid until 31/12/2021

The standards Institution of Israel
42 Chaim Levanon St,

Date of License : 01/01/2021



Dr. Gilad Golub CEO



**Factory: Netafim Ltd** 

**Commodities:** Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

- 19. UNIRAM CNL
  PIPE DIAMETERS OF 16,17& 20 MM FLOW 1.25 L/H
  PIPE DIAMETERS OF 16,17& 20 MM FLOW 2.0 L/H
  PIPE DIAMETERS OF 16,17& 20 MM FLOW 2.9 L/H
  PIPE DIAMETERS OF 16,17& 20 MM FLOW 4.4 L/H
- 20. TECHLINE CV 16 MM.
  FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
  WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 21. TECHLINE CV 17 MM.
  FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
  WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 22. TECHLINE CV 20 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 23. BIOLINE AS 16 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.

This license is valid until 31/12/2021







**Factory: Netafim Ltd** 

**Commodities:** Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

- 24. BIOLINE AS 17 MM.
  FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
  WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 25. BIOLINE AS 20 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 26. TECHNET 16 MM.
  FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
  WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 27. DRIPWINE 16 MM.
  FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
  WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 28. DRIPWINE 17 MM.
  FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
  WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 29. DRIPWINE 20 MM.
  FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
  WALL THICKNESS: 0.9, 1.0, 1.2 MM.

This license is valid until 31/12/2021







**Factory: Netafim Ltd** 

**Commodities:** Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

- 30. UNIWINE 16 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 31. UNIWINE 17 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 32. UNIWINE 20 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 33. LEACH LINE X 16 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 34. LEACH LINE X 17 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 35. ARIES LEACH LINE A 20 MM FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.

This license is valid until 31/12/2021

The standards Institution of Israel
42 Chaim Levanon St,
Tol. April 6007701







**Factory: Netafim Ltd** 

**Commodities:** Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

- 36. SCAPELINE 16 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 37. ARIES LEACH LINE A 16 MM FLOWRATES: 2.0 L/H
- 38. ARIES LEACH LINE A 16 MM FLOWRATES: 3.0 L/H
- 39. ARIES LEACH LINE A 16 MM FLOWRATES: 1.0 L/H
- 40. ARIES LEACH LINE A 16 MM FLOWRATES: 4.0 L/H
- 41. ARIES LEACH LINE A 16 MM FLOWRATES: 1.5 L/H

This license is valid until 31/12/2021



